

MoxiSYSTM

Risheng Technology

电话: 0086-531-68855401

Tel: 0086-15098928712; 0086-531-68855401

网址: www.moxisys.com

Web: www.moxisys.com

邮箱: info@moxisys.com

Email: info@moxisys.com


地址: 济南·中国

Add: Jinan·China

Note: Moxisys reserved the right to change the appearance, structure, color, model and some other things. If there are some changed in mentioned above please forgive us no other notify. And the pictured in the catalog may be some different with the real object. Please make the real object as the standard.

MoxiSYSTM

uPVC Window Door Profile



Risheng Technology

About us

>> 关于我们

企业使命：定位「高、精、尖」，不断研制新产品，满足客户的需求。

发展目标：依靠科技，瞄准国内外市场。

商业哲学：全方位服务客户。

企业精神：爱心、创新

爱心：爱是我们对国家、对公司、对团队的基本态度，爱使我们不孤单。

创新：创新是我们在产品、技术、服务上不懈的追求，是我们发现市场、创新市场的根本。

管理模式：人情化管理 + 绩效管理

人情化管理：通过营造一种温馨的工作环境为主要特征的管理模式。

绩效管理：通过建立绩效考核制度，建立完善晋升体系。



MoxisysTM

Moxisys is a professional company who could provide One-Stop services for window door machines, profiles and hard ware accessories.

⑤ Quality & Service

Moxisys has aimed the product and business development at a level of worldwide and highly standard. Our goal is to supply the customers with economic, practical and quality products with competitive price.

⑤ Product & Technology


Through deeply research and development, international procurement of the key components and technology, Moxisys has greatly improved the performance of their products.

⑤ Marketing


Moxisys have export to more than 30 countries and regions. Moxisys have very good relationship with our customers. We can support our customers with all-round and instant services.



60 inward casement window




60 outward casement window




The cross section diagrams just for refrence only. For true value refer to actual product. For other Thickness, Color, Wooden film profile, please contact us for more information.


60 Casement Series: Thickness 2.0 mm




60 casement frame
Item No: MBS-60PKD2
Kg/m: 0.984
Pcs/Pac: 6
Thickness: 2.0



60 inward casement sash
Item No: MBS-60NKCS2
Kg/m: 1.05
Pcs/Pac: 6
Thickness: 2.0




60 mullion
Item No: MBS-60ZTC
Kg/m: 1.067
Pcs/Pac: 6
Thickness: 2.0




60 screen sash
Item No: MBS-PKSS
Kg/m: 0.534
Pcs/Pac: 10
Thickness: 2.0


60 Casement Series: Thickness 2.2 mm




60 casement frame
Item No: MBS-60PKD
Kg/m: 1.042
Pcs/Pac: 6
Thickness: 2.2




60 inward casement sash
Item No: MBS-60NKCSA
Kg/m: 1.20
Pcs/Pac: 6
Thickness: 2.2




60 outward casement sash
Item No: MBS-60WKCS2
Kg/m: 1.21
Pcs/Pac: 6
Thickness: 2.2



60 mullion
Item No: MBS-60ZTD
Kg/m: 1.149
Pcs/Pac: 6
Thickness: 2.2




60 inward door sash
Item No: MBS-60NKMS2
Kg/m: 1.517
Pcs/Pac: 4
Thickness: 2.2




60 inward door sash
Item No: MBS-60NKMS2
Kg/m: 1.517
Pcs/Pac: 4
Thickness: 2.2

The cross section diagrams just for refrence only. For true value refer to actual product. For other Thickness, Color, Wooden film profile, please contact us for more information.


60 Casement Series: Thickness 2.5 mm




60 casement frame
 Item No: MBS-60PKB
 Kg/m: 1.146
 Pcs/Pac: 6
 Thickness: 2.5




60 frame
 Item No: MBS-60KF
 Kg/m: 1.475
 Pcs/Pac: 4
 Thickness: 2.5




60 inward casement sash
 Item No: MBS-60NKCSA2
 Kg/m: 1.309
 Pcs/Pac: 6
 Thickness: 2.5



60 outward casement sash
 Item No: MBS-60WKCSI
 Kg/m: 1.32
 Pcs/Pac: 6
 Thickness: 2.5




60 inward door sash
 Item No: MBS-60NKMS4
 Kg/m: 1.684
 Pcs/Pac: 4
 Thickness: 2.5




60 mullion
 Item No: MBS-60ZTE
 Kg/m: 1.20
 Pcs/Pac: 6
 Thickness: 2.5


60 Casement Series: Thickness 2.8 mm




60 casement frame
 Item No: MBS-60PKA8
 Kg/m: 1.2
 Pcs/Pac: 6
 Thickness: 2.8




60 inward casement sash
 Item No: MBS-60NKCSA8
 Kg/m: 1.45
 Pcs/Pac: 6
 Thickness: 2.8




60 outward casement sash
 Item No: MBS-60WKCA8
 Kg/m: 1.42
 Pcs/Pac: 6
 Thickness: 2.8



60 inward door sash
 Item No: MBS-60NKMSA8
 Kg/m: 1.817
 Pcs/Pac: 4
 Thickness: 2.8




60 outward door sash
 Item No: MBS-60NKMSA8
 Kg/m: 1.857
 Pcs/Pac: 4
 Thickness: 2.8




60 mullion
 Item No: MBS-60ZTA8
 Kg/m: 1.31
 Pcs/Pac: 6
 Thickness: 2.8

The cross section diagrams just for refrence only. For true value refer to actual product.
 For other Thickness, Color, Wooden film profile, please contact us for more information.


60 Casement Triple Series




60 casement frame
 Item No: MBS-60SMFK
 Kg/m: 1.217
 Pcs/Pac: 6
 Thickness: 2.1




60 casement sash
 Item No: MBS-60SMFXS
 Kg/m: 1.25
 Pcs/Pac: 6
 Thickness: 2.1




60 mullion
 Item No: MBS-60MFT
 Kg/m: 1.4
 Pcs/Pac: 6
 Thickness: 2.1




60 single glazing bead
 Item No: MBS-60SMFDY
 Kg/m: 0.334
 Pcs/Pac: 20
 Glass Thickness: 4.5±0.5mm




60 glazing bead
 Item No: MBS-60SMFI7YX
 Kg/m: 0.267
 Pcs/Pac: 20
 Glass Thickness: 22±0.5mm



60 glazing bead
 Item No: MBS-60SMFYX
 Kg/m: 0.284
 Pcs/Pac: 20




60 triple support board
 Item No: MBS-60SMFZB
 Kg/m: 0.184
 Pcs/Pac: 30




The cross section diagrams just for refrence only. For true value refer to actual product.
 For other Thickness, Color, Wooden film profile, please contact us for more information.

60 Casement Series Glazing Bead




60 single glazing bead
Item No: MBS-60DYA
Kg/m: 0.316
Pcs/Pac: 20

Glass Thickness: 4.5 ± 0.5mm




60 double glazing bead
Item No: MBS-60SYA
Kg/m: 0.22
Pcs/Pac: 20

Glass Thickness: 15.5 ± 0.5mm




60 double glazing bead
Item No: MBS-60SYB
Kg/m: 0.22
Pcs/Pac: 30

Glass Thickness: 20 ± 0.5mm




30 glazing bead
Item No: MBS-30YX
Kg/m: 0.275
Pcs/Pac: 20

Glass Thickness: 9.5 ± 0.5mm




23 glazing bead
Item No: MBS-23YX
Kg/m: 0.234
Pcs/Pac: 20

Glass Thickness: 17 ± 0.5mm




18 glazing bead
Item No: MBS-18YX
Kg/m: 0.22
Pcs/Pac: 30

Glass Thickness: 22 ± 0.5mm



17 glazing bead
Item No: MBS-17YX
Kg/m: 0.209
Pcs/Pac: 30


Glass Thickness: 23 ± 0.5mm




16 glazing bead
Item No: MBS-16YX
Kg/m: 0.22
Pcs/Pac: 30

Glass Thickness: 24 ± 0.5mm


60 Casement Series Auxiliary Profiles




60 bay corner adaptor
Item No: MBS-60ZJ2
Kg/m: 0.71
Pcs/Pac: 4




60 bay corner adaptor
Item No: MBS-60ZJ1
Kg/m: 0.71
Pcs/Pac: 4




60 bay corner adaptor
Item No: MBS-60ZJ3
Kg/m: 0.817
Pcs/Pac: 4



60/135° bay corner adaptor
Item No: MBS-60135ZJ
Kg/m: 0.734
Pcs/Pac: 4




60 tube adaptor
Item No: MBS-60PG
Kg/m: 0.634
Pcs/Pac: 6




60 any angle corner adaptor
Item No: MBS-60YZJ
Kg/m: 0.5
Pcs/Pac: 8




60 round pipe
Item No: MBS-60YG
Kg/m: 0.683
Pcs/Pac: 4




60 flat board
Item No: MBS-60PB1
Kg/m: 0.3
Pcs/Pac: 20




60 switch frame
Item No: MBS-60ZHK2
Kg/m: 0.575
Pcs/Pac: 6
Thickness: 2.5




60 bay corner adaptor




60/135° bay corner adaptor




multi-angle corner adaptor



60 tube adaptor




60 flat board




60 switch frame


60 Casement Series Auxiliary Profiles







60 floating mullion
 Item No: MBS-60FZT
 Kg/m: 1.067
 Pcs/Pac: 6
 Thickness: 2.5




60 floating mullion cover
 Item No: MBS-FZTDG




60 Fixed Louver Window




60 casement frame
 Item No: MBS-60PKD
 Kg/m: 1.042
 Pcs/Pac: 6
 Thickness: 2.2




60 small casement frame
 Item No: MBS-60XK
 Kg/m: 0.88
 Thickness: 2.2



louver window glazing bead
 Item No: MBS-BYYX
 Kg/m: 0.26
 Pcs/Pac: 20



louver blind
 Item No: MBS-BYCLP
 Kg/m: 0.217
 Pcs/Pac: 20





louver window frame
 Item No: MBS-38FG
 Kg/m: 0.409
 Pcs/Pac: 8




louver blind
 Item No: MBS-38BYP
 Kg/m: 0.159
 Pcs/Pac: 30


American 60 Sliding Profiles




frame
Item No: MBS-60PKTLK
Kg/m: 1.15
Pcs/Pac: 6
Thickness: 2.3




80 sliding sash
Item No: MBS-80TLSH
Kg/m: 0.784
Pcs/Pac: 8
Thickness: 2.0




mullion
Item No: MBS-60PKTLZT
Kg/m: 0.695
Pcs/Pac: 6
Thickness: 2.3



80 single glazing bead
Item No: MBS-80DYB
Kg/m: 0.22
Pcs/Pac: 30
Glass Thickness: 4.5 ± 0.5mm





88 double glazing bead
Item No: MBS-88SYC
Kg/m: 0.18
Pcs/Pac: 30
Glass Thickness: 20 ± 0.5mm




80 sliding sash cover
Item No: MBS-80FG
Kg/m: 0.18
Pcs/Pac: 30

The cross section diagrams just for refrence only. For true value refer to actual product.
For other Thickness, Color, Wooden film profile, please contact us for more information.


60 Sliding Door




60 double sliding frame
Item No: MBS-60LGKA8
Kg/m: 1.35
Pcs/Pac: 6
Thickness: 2.8




60 double sliding frame
Item No: MBS-60LGKA2
Kg/m: 1.14
Pcs/Pac: 6
Thickness: 2.5




60 double sliding frame
Item No: MBS-60TLKA
Kg/m: 1.098
Pcs/Pac: 6
Thickness: 2.2



112 sliding frame
Item No: MBS-TL112K
Kg/m: 1.92
Pcs/Pac: 4
Thickness: 2.5




112 sliding frame
Item No: MBS-112KB
Kg/m: 1.7
Pcs/Pac: 4
Thickness: 2.2




60 sliding door sash
Item No: MBS-60TLMSA8
Kg/m: 1.54
Pcs/Pac: 4
Thickness: 2.8


The cross section diagrams just for refrence only. For true value refer to actual product.
For other Thickness, Color, Wooden film profile, please contact us for more information.




60 sliding door sash
 Item No: MBS-60TLMS2
 Kg/m: 1.4
 Pcs/Pac: 4
 Thickness: 2.5




60 sliding door sash
 Item No: MBS-60TLMS3
 Kg/m: 1.25
 Pcs/Pac: 4
 Thickness: 2.2




sash mullion
 Item No: MBS-42SZT
 Kg/m: 0.84
 Pcs/Pac: 8
 Thickness: 2.2




60 sliding door sash cover
 Item No: MBS-60TLMSFG
 Kg/m: 0.217
 Pcs/Pac: 20
 Thickness: 1.7




screen door sash
 Item No: MBS-SSA3
 Kg/m: 0.635
 Pcs/Pac: 9
 Thickness: 1.7



aluminum sliding frame
 Item No: MBS-60TLLK
 Kg/m: 0.844
 Pcs/Pac: 6




mesh adaptor
 Item No: MBS-SG
 Kg/m: 0.54
 Pcs/Pac: 10
 Thickness: 2.0




mesh adaptor joint
 Item No: MBS-SGKK




88 single glazing bead
 Item No: MBS-88DYA
 Kg/m: 0.27
 Pcs/Pac: 20
 Glass Thickness: 4.5 ± 0.5mm




88 double glazing bead
 Item No: MBS-88SYA
 Kg/m: 0.18
 Pcs/Pac: 30
 Glass Thickness: 15 ± 0.5mm




88 double glazing bead
 Item No: MBS-88SYB
 Kg/m: 0.167
 Pcs/Pac: 30
 Glass Thickness: 18 ± 0.5mm



88 double glazing bead
 Item No: MBS-88SYC
 Kg/m: 0.15
 Pcs/Pac: 30
 Glass Thickness: 20 ± 0.5mm




door panel
 Item No: MBS-150MB2
 Kg/m: 0.883
 Pcs/Pac: 10



door panel
 Item No: MBS-150MB3
 Kg/m: 0.9
 Pcs/Pac: 8

The cross section diagrams just for reference only. For true value refer to actual product. For other Thickness, Color, Wooden film profile, please contact us for more information.


80 Casement Door




80-60 door frame
 Item No: MBS-8060MK
 Kg/m: 1.14
 Pcs/Pac: 4 Thickness: 1.8




80 door frame
 Item No: MBS-80MK
 Kg/m: 1.25
 Pcs/Pac: 6 Thickness: 1.8




80 door frame mullion
 Item No: MBS-80MKZT
 Kg/m: 1.4
 Pcs/Pac: 6 Thickness: 2.1




80 door sash
 Item No: MBS-80MS1
 Kg/m: 1.033
 Pcs/Pac: 4 Thickness: 1.6




80 door sash
 Item No: MBS-80MS2
 Kg/m: 1.05
 Pcs/Pac: 4 Thickness: 1.8




80 door sash mullion
 Item No: MBS-80MST1
 Kg/m: 0.79
 Pcs/Pac: 6 Thickness: 1.6




80 door sash mullion
 Item No: MBS-80MST2
 Kg/m: 0.984
 Pcs/Pac: 6 Thickness: 1.8



80 double glazing bead
 Item No: MBS-80SYB2
 Kg/m: 0.137
 Pcs/Pac: 50




80 single glazing bead
 Item No: MBS-80DYB
 Kg/m: 0.22
 Pcs/Pac: 30



88 double glazing bead
 Item No: MBS-88SYC
 Kg/m: 0.15
 Pcs/Pac: 30

The cross section diagrams just for reference only. For true value refer to actual product. For other Thickness, Color, Wooden film profile, please contact us for more information.

80 sliding window



80 Sliding Series: Thickness 1.9 & 2.0 mm

80 sliding frame
Item No: MBS-80TLKA
Kg/m: 1.2
Pcs/Pac: 6
Thickness: 1.9

80 sliding frame
Item No: MBS-80TLKB1
Kg/m: 1.15
Pcs/Pac: 6
Thickness: 1.9


80 sliding sash
Item No: MBS-80TLSB
Kg/m: 0.91
Pcs/Pac: 8
Thickness: 2.0

80 sliding sash
Item No: MBS-80TLSH
Kg/m: 0.784
Pcs/Pac: 8
Thickness: 2.0


80 fixed frame
Item No: MBS-80GDKE2
Kg/m: 0.917
Pcs/Pac: 6
Thickness: 1.9

80 fixed frame
Item No: MBS-80GDKD
Kg/m: 0.867
Pcs/Pac: 8
Thickness: 1.9

The cross section diagrams just for refrence only. For true value refer to actual product.
For other Thickness, Color, Wooden film profile, please contact us for more information.




80 fixed frame mullion
Item No: MBS-80GDKTH1
Kg/m: 0.97
Pcs/Pac: 6
Thickness: 1.8




60 sliding frame
Item No: MBS-60LGKB
Kg/m: 0.834
Pcs/Pac: 6
Thickness: 1.8


80 Sliding Series: Thickness 2.2 mm




80 sliding frame
Item No: MBS-80TLKH3
Kg/m: 1.317
Pcs/Pac: 6
Thickness: 2.2




80 sliding frame
Item No: MBS-80TLKD2
Kg/m: 1.334
Pcs/Pac: 6
Thickness: 2.2




80 fixed frame
Item No: MBS-80GDKH3
Kg/m: 1.067
Pcs/Pac: 6
Thickness: 2.2




80 fixed frame
Item No: MBS-80GDKA2
Kg/m: 0.942
Pcs/Pac: 8
Thickness: 2.2



80 fixed frame mullion
Item No: MBS-80GDKTH2
Kg/m: 1.167
Pcs/Pac: 6
Thickness: 2.2




80 fixed frame mullion
Item No: MBS-80GDKA2
Kg/m: 1.017
Pcs/Pac: 8
Thickness: 2.2




80 sliding sash
Item No: MBS-80TLSD
Kg/m: 0.841
Pcs/Pac: 8
Thickness: 2.3

The cross section diagrams just for refrence only. For true value refer to actual product.
For other Thickness, Color, Wooden film profile, please contact us for more information.


80 Sliding Series: Thickness 2.5 mm




80 sliding frame
Item No: MBS-80TLKH2
Kg/m: 1.45
Pcs/Pac: 6
Thickness: 2.5



80 sliding frame
Item No: MBS-80TLKD1
Kg/m: 1.442
Pcs/Pac: 6
Thickness: 2.5



80 fixed frame
Item No: MBS-80GDKH2
Kg/m: 1.142
Pcs/Pac: 6
Thickness: 2.5




80 big sliding sash
Item No: MBS-80TLDSA
Kg/m: 0.967
Pcs/Pac: 8
Thickness: 2.5


80 Sliding Series Glazing Bead




80 single glazing bead
Item No: MBS-80DYB
Kg/m: 0.22
Pcs/Pac: 30
Glass Thickness: 4.5±0.5mm



80 double glazing bead
Item No: MBS-80SYB
Kg/m: 0.13
Pcs/Pac: 50
Glass Thickness: 18±0.5mm




80 double glazing bead
Item No: MBS-80SYB2
Kg/m: 0.137
Pcs/Pac: 50
Glass Thickness: 19±0.5mm




80 double glazing bead
Item No: MBS-80DYC
Kg/m: 0.15
Pcs/Pac: 50
Glass Thickness: 17±0.5mm

80 Sliding Series Auxiliary Profiles




80 sash mullion
Item No: MBS-80SZT
Kg/m: 0.67
Pcs/Pac: 8
Thickness: 1.6



80 sliding sash cover
Item No: MBS-80FG
Kg/m: 0.18
Pcs/Pac: 30


The cross section diagrams just for refrence only. For true value refer to actual product. For other Thickness, Color, Wooden film profile, please contact us for more information.




80 flat board
Item No: MBS-80PBI
Kg/m: 0.24
Pcs/Pac: 15




80 bay corner adaptor
Item No: MBS-80ZJI
Kg/m: 0.78
Pcs/Pac: 4




80 tube adaptor
Item No: MBS-80PG
Kg/m: 0.617
Pcs/Pac: 6




80 reinforcing tube adaptor
Item No: MBS-80JQPG2
Kg/m: 0.916
Pcs/Pac: 4




80 any angle bay corner adaptor
Item No: MBS-80YZJ
Kg/m: 0.536
Pcs/Pac: 8




80 interlock
Item No: MBS-80GM
Kg/m: 0.25
Pcs/Pac: 20




Screen sash
Item No: MBS-52SS2
Kg/m: 0.492
Pcs/Pac: 15




Screen sash
Item No: MBS-42SS
Kg/m: 0.4
Pcs/Pac: 15




Screen sash frame
Item No: MBS-STSK
Kg/m: 0.68
Pcs/Pac: 8




Screen sash mullion
Item No: MBS-SSZT
Kg/m: 0.36
Pcs/Pac: 15




Screen sash interlock
Item No: MBS-SSGM
Kg/m: 0.18
Pcs/Pac: 30




80 flat board **80 bay corner adaptor**




80 tube adaptor



80 interlock




screen sash frame




screen sash interlock

The cross section diagrams just for refrence only. For true value refer to actual product. For other Thickness, Color, Wooden film profile, please contact us for more information.

88 sliding window










88 Sliding Series: Thickness 1.9 & 2.0 mm





The cross section diagrams just for refrence only. For true value refer to actual product.
For other Thickness, Color, Wooden film profile, please contact us for more information.


88 Sliding Series: Thickness 2.2 mm




88 Sliding Series: Thickness 2.5 mm




The cross section diagrams just for refrence only. For true value refer to actual product.
For other Thickness, Color, Wooden film profile, please contact us for more information.




88 big sliding sash
 Item No: MBS-88TLSH
 Kg/m: 1.12
 Pcs/Pac: 8
 Thickness: 2.5



88 sliding sash
 Item No: MBS-88TLSH2
 Kg/m: 1.025
 Pcs/Pac: 8
 Thickness: 2.5




88 fixed frame
 Item No: MBS-88GDKH
 Kg/m: 1.185
 Pcs/Pac: 6
 Thickness: 2.5




88 fixed frame mullion
 Item No: MBS-88GDKTH
 Kg/m: 1.285
 Pcs/Pac: 6
 Thickness: 2.5

88 Sliding Series Glazing Bead




88 single glazing bead
 Item No: MBS-88DYA
 Kg/m: 0.27
 Pcs/Pac: 20



88 double glazing bead
 Item No: MBS-88SYA
 Kg/m: 0.18
 Pcs/Pac: 30




88 double glazing bead
 Item No: MBS-88SYB
 Kg/m: 0.167
 Pcs/Pac: 30




88 double glazing bead
 Item No: MBS-88SYC
 Kg/m: 0.15
 Pcs/Pac: 30


88 Sliding Series Auxiliary Profiles




88 sash mullion
 Item No: MBS-42SZT
 Kg/m: 0.84
 Pcs/Pac: 8
 Thickness: 2.2



88 sliding sash cover
 Item No: MBS-88FG
 Kg/m: 0.227
 Pcs/Pac: 30




88 flat board
 Item No: MBS-88PBI
 Kg/m: 0.3
 Pcs/Pac: 15




88 tube adaptor
 Item No: MBS-88PG
 Kg/m: 0.783
 Pcs/Pac: 6


The cross section diagrams just for reference only. For true value refer to actual product. For other Thickness, Color, Wooden film profile, please contact us for more information.




88 straight bay corner adaptor
 Item No: MBS-88ZJ
 Kg/m: 0.967
 Pcs/Pac: 4




88 reinforcing tube adaptor
 Item No: MBS-88JQPG
 Kg/m: 0.934
 Pcs/Pac: 4




88 any angle corner adaptor
 Item No: MBS-88YZJ
 Kg/m: 0.60
 Pcs/Pac: 8




88/135° bay corner adaptor
 Item No: MBS-88135ZJ
 Kg/m: 0.967
 Pcs/Pac: 4




42 interlock
 Item No: MBS-42GM
 Kg/m: 0.307
 Pcs/Pac: 20




Screen sash
 Item No: MBS-52SS2
 Kg/m: 0.492
 Pcs/Pac: 15




Screen sash
 Item No: MBS-42SS
 Kg/m: 0.4
 Pcs/Pac: 15




66 screen door sash
 Item No: MBS-SSA3
 Kg/m: 0.635
 Pcs/Pac: 15




Screen sash mullion
 Item No: MBS-SSZT
 Kg/m: 0.36
 Pcs/Pac: 15




Screen sash interlock
 Item No: MBS-SSGM
 Kg/m: 0.18
 Pcs/Pac: 30




88 flat board



88 bay corner adaptor




88 tube adaptor



88/135° bay corner adaptor




screen sash interlock




42 interlock

The cross section diagrams just for reference only. For true value refer to actual product. For other Thickness, Color, Wooden film profile, please contact us for more information.


The Other uPVC Profile Accessories




30 grill
Item No: MBS-30ZST
Kg/m: 0.16
Pcs/Pac: 20




20 grill
Item No: MBS-20ZST
Kg/m: 0.12
Pcs/Pac: 20




30 grill outlay
Item No: MBS-30WZZST
Kg/m: 0.16
Pcs/Pac: 30




15 grill
Item No: MBS-15ZST
Kg/m: 0.09
Pcs/Pac: 30




80-60 flat board
Item No: MBS-80Z60PB
Kg/m: 0.275
Pcs/Pac: 20




88-60 flat board
Item No: MBS-88Z60PB
Kg/m: 0.3
Pcs/Pac: 15




Round bead
Item No: MBS-PT
Kg/m: 0.092
Pcs/Pac: 50




80-60 bay corner adaptor
Item No: MBS-80Z60ZJ
Kg/m: 0.78
Pcs/Pac: 4




88-60 bay corner adaptor
Item No: MBS-88Z60ZJ
Kg/m: 0.89
Pcs/Pac: 4




window sill
Item No: MBS-11568CTB
Kg/m: 0.95
Pcs/Pac: 6




adaptor bead




adaptor



80-60 corner adaptor



88-60 flat board



window sill

The cross section diagrams just for refrence only. For true value refer to actual product.
For other Thickness, Color, Wooden film profile, please contact us for more information.

White Colors



blue white



yellow white



milk white

Full Colors



caramel



brown



coffee



black

Film Colors




GOLDEN OAK
MX9.2178001-116700




BROWN OAK
PX40175007-114800



DARK OAK
MX9.2052089-116700



BLACK WALNUT
PX9.0046828-114800



SOFT CHERRY
PX9.3214009-119500



IRISH OAK
PX9.3211305-114800



CLASSICAL OAK
PX2.0057006-130300



MOUNTAIN OAK
PX2.0057005-130300

The cross section diagrams just for refrence only. For true value refer to actual product.
For other Thickness, Color, Wooden film profile, please contact us for more information.

Film Colors



WALNUT
PX9.2178007-116700



HF-O-WALNUT CUSTOMIZED
DWZ2H-DZ-W



WHITE GRAIN
PX02.20.91.000001-116801



DARK GREY METAL
F4361012



DARK GREY METAL
F4361006



LIGHT GREY METAL
F4361005




LIGHT OAK
F4363077




GLODEN OAK
F4362076



WHITE GRAIN
F4565053



DARK GREEN
CMGN7001



COFFEE
CMBR7201



DARK COFFEE GRAIN
SMBR0104



HH-O-GOLDEN OAK
GOZ2M-W



HH-I-GOLDEN OAK
GOZ2M-N



HH-O-DARK OAK
D011H-W




HH-O-OAK ROUGH
ROO2H-W


Film Colors



HH-O-WALNUT
DWZ2H-W



HH-O-ANTHRACITE GREY
AG32H



HF-O-ANTHRACITE GREY PITTED
308-27-W



HF-O-ANTHRACITE GREY
302-34-W



HF-I-GOLDEN OAK
139-34-N



HF-O-GOLDEN OAK
139-34-W




HF-O-TEAK A
105-02-W



HF-I-OAK ROUGH
136-34-N



HF-O-DARK OAK B
109-34-W



HF-O-DARK OAK CUSTOMIZED
D011H-DZ-W



HF-I-RED OAK
109-02-N



HF-I-DARK OAK B
109-34-N



HF-I-WALNUT
102-34-N



HF-O-WALNUT
102-34-W



HF-O-OAK PITTED 8028
306-09-3-W



HF-O-BROWN PITTED 8017
306-09-1-W